



AUTOGEN-RITTER GmbH

Arc-welding torches MIG-MAG WIG/TIG Plasma Spare parts

Quality Welding Solutions since 1920.

EN

e.ARc® **TIG manual welding torches**



**Inhalt**

Technische Daten e.ARC® Schweißbrenner	5
Übersicht maschinenseitige Anschlüsse für gasgekühlte e.ARC® Schweißbrenner	7
Konfigurator gasgekühlte e.ARC® Schweißbrenner mit Steuerleistungsstecker	8
Konfigurator gasgekühlte e.ARC® Schweißbrenner mit Steuerleitung offen	9
Übersicht maschinenseitige Anschlüsse für wassergekühlte e.ARC® Schweißbrenner	10
Konfigurator wassergekühlte e.ARC® Schweißbrenner mit Steuerleistungsstecker	11
Konfigurator wassergekühlte e.ARC® Schweißbrenner mit Steuerleitung offen	12
Verschleißteile e.ARC® 18W-F / 26G-F	13
Verschleißteile e.ARC® 18W-F / 26G-F (Umrüstsatz)	15
Verschleißteile e.ARC® 9G-F / 9G-F-L / 20W-F / 20W-F-L	17
Verschleißteile e.ARC® XN-91W-F / XN-92G-F	19
Übersicht Brennerkörper e.ARC®	20
Übersicht Handgriff e.ARC®	21
Schlauchpaket e.ARC® 9G-F / 9G-F-L	22
Schlauchpaket e.ARC® 26G-F / XN-92G-F	23
Maschinenseitige Anschlüsse e.ARC® 9G-F / 9G-F-L / 26G-F / XN-92G-F	24
Schlauchpaket e.ARC® 20W-F / 20W-F-L	27
Schlauchpaket e.ARC® 18W-F / XN-91W-F	28
Maschinenseitige Anschlüsse e.ARC® 20W-F / 20W-F-L / 18W-F / XN-91W-F	29
Steuerleistungsstecker	32
Wolframelektroden	33



e.ARC® welding torch – developed for the highest demands

The e.ARC® welding torches have been specially designed for tough industrial use, combining durability with modern operating comfort. Each handle features well-thought-out details that provide the user with tangible benefits:

- **Ergonomic design** for relaxed and precise work
- **Maximum grip safety** thanks to the non-slip rubberized handle section
- **Proven SR consumables** for easy handling and high availability
- **Modular functional concept** for maximum flexibility
- **Flexible, rotatable torch bodies** for comfortable work in any position

Large number of spare parts

Glass nozzle	
Spot weld	
Gas lens	
TIG Lens Cover	

Function module

Single switch	
Single switch long	
Double switch	
Single Up/Down	
Double Up/Down	

Large number of torch bodies

e.ARC® 9G-F/20W-F	
e.ARC® 9G-F-L/20W-F-L	
e.ARC® 18W-F/26G-F	
e.ARC® XN-91W-F/ XN-92G-F	

Handle colour


Blue	
Gray	




The e.ARC[®] handle variants - choosing the right handle

Every welder has different requirements. With the e.ARC[®] handle variants, you can combine precision and comfort to suit your needs – individually, ergonomically and reliably.

e.ARC[®] handle short



e.ARC[®] handle flex



Features:	compact design, ergonomic, easy to guide	variably adjustable, adapts to any welding position
Advantages:	• maximum freedom of movement in confined areas • optimal precision for detailed work • suitable for small and large hand	• reduces fatigue during long periods of use • maximum comfort even in awkward areas • greater mobility in varying positions
Ideal for:	delicate work, fine weld seams, hard-to-reach areas	long weld seams, complex workpieces, changing working positions



The e.ARC® XN-System

e.ARC® XN-System – Simple, robust, reliable

The e.ARC® XN system focuses on durability and ease of use.


- **Optimized shielding gas flow replaces the gas lens** – fewer wear parts, higher reliability
- **Powerful even in hard-to-reach applications** – uses the same ceramic gas nozzle as SR9/20, but with higher load capacity
- **Extended collet lifetime** – improved current transfer ensures a more stable arc and increases durability

XN clamping system

Large number of spare parts

Gas lens	
TIG Lens Cover	

The collet is pulled over the torch back cap towards the torch body.



Available in a short and flexible version

Function module

Single switch	
Single switch long	
Double switch	
Single Up/Down	
Double Up/Down	

Technical data e.ARC® TIG torches

e.ARC® 18W-F



Technical data according to EN 60 974-7

Rating*¹: 400 A DC at 60 % Duty cycle
280 A AC at 60 % Duty cycle

Tungsten electrodes-Ø: 1.6 - 4.0 mm

e.ARC® 26G-F



Rating: 190 A DC at 35 % Duty cycle
130 A AC at 35 % Duty cycle

Tungsten electrodes-Ø: 1.6 - 4.0 mm

e.ARC® 20W-F



Technical data according to EN 60 974-7

Rating*¹: 270 A DC at 60 % Duty cycle
190 A AC at 60 % Duty cycle

Tungsten electrodes-Ø: 0.5 - 3.2 mm

e.ARC® 9G-F



Rating: 120 A DC at 35 % Duty cycle
85 A AC at 35 % Duty cycle

Tungsten electrodes-Ø: 0.5 - 3.2 mm

*¹Cooling capacity of at least 800W with a cable hose package length of 4m and a welding torch inlet pressure of the cooling liquid of 3–6bar.

e.ARC® 20W-F-L



Technical data according to EN 60 974-7

Rating*¹: 270 A DC at 60 % Duty cycle
190 A AC at 60 % Duty cycle

Tungsten electrodes-Ø: 0.5 - 3.2 mm

e.ARC® 9G-F-L



Rating: 120 A DC at 35 % Duty cycle
85 A AC at 35 % Duty cycle

Tungsten electrodes-Ø: 0.5 - 3.2 mm

e.ARC® XN-91W-F



Technical data according to EN 60 974-7

Rating*¹: 440 A DC at 60 % Duty cycle
310 A AC at 60 % Duty cycle

Tungsten electrodes-Ø: 1.6 - 4.0 mm

e.ARC® XN-92G-F



Rating: 200 A DC at 35 % Duty cycle
140 A AC at 35 % Duty cycle

Tungsten electrodes-Ø: 1.6 - 4.0 mm

*¹Cooling capacity of at least 800W with a cable hose package length of 4m and a welding torch inlet pressure of the cooling liquid of 3-6bar.





Overview torch connections for air-cooled e.Arc® welding torches

Single connection	M12x1		
	G1/4"		
	G3/8"		
BSB-connection	BSB SK10/25 (Ø9mm); gas: 1/4"		Optional: G1/4" union nut or plug- in nipple NW2.7
	BSB SK35/50 (Ø13mm); gas: 1/4"		
	BSB SK35/50 (Ø13mm); gas: plug- in nipple NW2.7		
TIG compact connection Fronius® gas central			
TIG compact connection EWM® SK35/50 (Ø13mm)			
Euro-GZ0			
Euro-WTG-5			
Kemppi®-connection			

Different connections on request!

**with adaptor*

Configurator air-cooled e.ARC® TIG torches with control cable plug

Torch type	Cable hose package length	Hose package type	Handle	Function module	Torch connection for power source
091	04	R	1	0	E1
091 e.ARC® 9G-F	04 4m	R Rubber outer cover	1 Blue, flexible 	0 Single switch 	<u>EWM®</u> E1 TIG compact connection SK35/50; gas: 1/4" union nut; 5 pol. Tuchel plug
092 e.ARC® 9G-FL	08 8m	L Flex + leather (1m)	2 Gray, flexible 	1 Double switch 	<u>Fronius®</u> E2 TIG compact connection SK35/50; gas: 1/4" union nut; 8 pol. Burndy plug
261 e.ARC® 26G-F	12 12m		3 Blue, short 	2 Double Up/Down 	F1 TIG compact connection gas central; 9 pol. Tuchelstecker <u>Kemppi®</u>
192 e.ARC® XN-92G-F	16 16m		4 Gray, short 	3 Single switch long 	K1 Kemppi®-connection G1/4"; 7 pol. Amphenol plug <u>Rehm®</u>
				4 Single Up/Down 	R1 TIG compact connection SK35/50; gas: plug-in nipple NW2.7; 12 pol. Amphenol plug R2 TIG compact connection SK35/50; gas: plug-in nipple NW2.7; 7 pol. Amphenol plug

Different connections on request!

Delivery condition:

All TIG torches are equipped with spare parts Ø2.4mm.

Configurator air-cooled e.ARC® TIG torches without control cable plug

Torch type	Cable hose package length	Hose package type	Handle	Function module	Torch connection for power source
091	T	04	1	0	10
091 e.ARC® 9G	04 4m	R Rubber outer cover	1 Blue, flexible	0 Single switch	10 Single connection M12x1
092 e.ARC® 9G-L	08 8m	L Flex + leather (1m)	2 Gray, flexible	1 Double switch	11 Single connection G1/4
261 e.ARC® 26G	12 12m		3 Blue, short	2 Double Up/Down	12 Single connection G3/8
192 e.ARC® XN-92G-F	16 16m		4 Gray, short	3 Single switch long	20 BSB 35/50 (Ø13mm), gas: 1/4"
				4 Single Up/Down	22 BSB 35/50 (Ø13mm), gas: NW2.7
					30 BSB 10/25 (Ø9mm), gas: 1/4"
					F0 TIG compact connection gas central
					40 Euro-GZO
					41 Euro-WTG-5







Different connections on request!

Delivery condition:

All TIG torches are equipped with spare parts Ø2.4mm.



Overview torch connections for water-cooled e.Arc® welding torches

Single connection	M12x1		gas: G1/4" water: G3/8"
	G1/4"*		
	G3/8"*		
BSB-connection	BSB SK35/50 (Ø13mm); gas: 1/4"		water: plug-in nipple NW5 Optional: G1/4" union nut or plug-in nipple NW2.7
	BSB SK35/50 (Ø13mm); gas: 3/8"		
	BSB SK35/50 (Ø13mm); gas: plug-in nipple NW2.7		
TIG compact connection Fronius® gas central			water: plug-in nipple NW5
TIG compact connection EWM® SK35/50 (Ø13mm)			water: plug-in nipple NW5 Optional: G1/4" union nut or plug-in nipple NW2.7
Euro-WZ0			water: plug-in nipple NW5 
Euro-WTW-5			water: plug-in nipple NW5 
Kemppi®-connection			water: plug-in nipple NW5

Different connections on request!

**with adaptor*

Configurator water-cooled e.ARC® TIG torches with control cable plug



Torch type	Cable hose package length	Hose package type	Handle	Function module	Torch connection for power source
201	T	04	1	0	E1
201 e.ARC® 20W-F	04 4m	R Rubber outer cover	1 Blue, flexible	0 Single switch	<u>EWM®</u> E1 TIG compact connection SK35/50; water: plug-in nipple NW5 gas: 1/4" union nut; 5 pol. Tuchel plug
202 e.ARC® 20W-F-L	08 8m	L leather (1m) with rubber outer cover	2 Gray, flexible	1 Double switch	E2 TIG compact connection SK35/50; water: plug-in nipple NW5 gas: 1/4" union nut; 8 pol. Burndy plug
181 e.ARC® 18W-F	12 12m		3 Blue, short	2 Double Up/Down	<u>Fronius®</u>
191 e.ARC® XN-91W-F	16 16m		4 Gray, short	3 Single switch long	F1 TIG compact connection gas central;; water: plug-in nipple NW5 9 pol. Tuchel plug
				4 Single Up/Down	<u>Kemppi®</u> K1 Kemppi®-connection G1/4"; water: plug-in nipple Nw5 7 pol. Amphenol plug
					<u>Rehm®</u> R1 TIG compact connection SK35/50; water: plug-in nipple NW5 gas: plug-in nipple NW2.7; 12 pol. Amphenol plug R2 TIG compact connection SK35/50; water: plug-in nipple NW5 gas: plug-in nipple NW2.7; 7 pol. Amphenol plug

Different connections on request!

Delivery condition:

All TIG torches are equipped with spare parts Ø2.4mm.


Configurator water-cooled e.ARC® TIG torches without control cable plug

Torch type	Cable hose package length	Hose package type	Handle	Function module	Torch connection for power source
201	04	R	1	0	10
201 e.ARC® 20W-F	04 4m	R Rubber outer cover	1 Blue, flexible 	0 Single switch 	10 Single connection M12x1; G1/4", G3/8"
202 e.ARC® 20W-F-L	08 8m	L leather (1m) with rubber outer cover	2 Gray, flexible 	1 Double switch 	12 Single connection G3/8", G1/4", G3/8"
181 e.ARC® 18W-F	12 12m		3 Blue, short 	2 Double Up/Down 	22 BSB 35/50 (Ø13mm), Gas: 3/8", NW5
191 e.ARC® XN-91W-F	16 16m		4 Gray, short 	3 Single switch long 	30 BSB 35/50 (Ø13mm), Gas: NW2.7; NW5
				4 Single Up/Down 	FO TIG compact connection gas central; NW5
					41 Euro-WTW-5; NW5

Different connections on request!

Delivery condition:

All TIG torches are equipped with spare parts Ø2.4mm.

Spare parts e.Arc® 18W-F / 26G-F

Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
1	1170301	Back Cap, long (PU = 5)	8	1180610	Collet Body Ø1.0, l=47mm (PU=5)
2	1170403	Back Cap, medium (PU = 5)		1180616	Collet Body Ø1.6, l=47mm (PU=5)
3	1170401	Back Cap, short (PU = 5)		1180624	Collet Body Ø2.4, l=47mm (PU=5)
4	0092001	O-Ring for Back Cap (PU = 20)		1180632	Collet Body Ø3.2, l=47mm (PU=5)
5	11704 XX	Collet, l=50mm (PU = 5)		1180640	Collet Body Ø4.0, l=47mm (PU=5)
Collets are available in Ø1.0/1.6/2.4/3.2/4.0mm Please insert XX for electrode diameter. Example: Ø1.0 mm is: 10; Part-No.: = 11704 10			9	1170704	Ceramic Nozzle Size 4, Ø6.5, l=47mm (PU = 10)
6	13504 XX	Collet Long Life, l=50mm (PU = 5)		1170705	Ceramic Nozzle Size 5, Ø8.0, l=47mm (PU = 10)
Collets are available in Ø1.0/1.6/2.4/3.2/4.0mm Please insert XX for electrode diameter. Example: Ø1.0 mm is: 10; Part-No.: = 13504 10				1170706	Ceramic Nozzle Size 6, Ø9.5, l=47mm (PU = 10)
7	14022061	Insulator (PU = 5)		1170707	Ceramic Nozzle Size 7, Ø11.0, l=47mm (PU = 10)
				1170708	Ceramic Nozzle Size 8, Ø12.5, l=47mm (PU = 10)
				1170710	Ceramic Nozzle Size 10, Ø16.0, l=47mm (PU = 10)
				1170712	Ceramic Nozzle Size 12, Ø19.0, l=47mm (PU = 10)


Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
10	10N50L	Ceramic Nozzle Size 4, Ø6.5, l = 76mm (PU = 10)	18	54N18L	Ceramic Nozzle Size 4 for Gas Lens, Ø6.5, l = 76mm (PU = 10)
	10N49L	Ceramic Nozzle Size 5, Ø8.0, l = 76mm (PU = 10)		54N17L	Ceramic Nozzle Size 5 for Gas Lens, Ø8.0, l = 76mm (PU = 10)
	10N48L	Ceramic Nozzle Size, Ø9.5, l = 76mm (PU = 10)		54N16L	Ceramic Nozzle Size 6 for Gas Lens, Ø9.5, l = 76mm (PU = 10)
	10N47L	Ceramic Nozzle Size 7, Ø11.0, l = 76mm (PU = 10)		54N15L	Ceramic Nozzle Size 7 for Gas Lens, Ø11.0, l = 76mm (PU = 10)
	10N46L	Ceramic Nozzle Size 8, Ø12.5, l = 76mm (PU = 10)		54N14L	Ceramic Nozzle Size 8 for Gas Lens, Ø12.5, l = 76mm (PU = 10)
11	1350620	Collet Body, l = 45mm	19	1402216	Insulator (PU = 5)
12	13523XX	Adapter, l = 12mm	20	45V0204	Big Gas Lens Ø1.0mm, l = 50mm
Adapter for Collet Body are available in Ø1.0/1.6/2.4/3.2/4.0mm. Please insert XX for electrode diameter. Example: Ø1.0 mm is: 10; Part-No.: = 13523 10				45V116	Big Gas Lens Ø1.6mm, l = 50mm
13	1351704	Ceramic Nozzle Size 4, Ø6.5, l = 47mm		45V64	Big Gas Lens Ø2.4mm, l = 50mm
	1351705	Ceramic Nozzle Size 5, Ø8.0, l = 47mm		995795	Big Gas Lens Ø3.2mm, l = 50mm
	1351706	Ceramic Nozzle Size 6, Ø9.5, l = 47mm		45V63	Big Gas Lens Ø4.0mm, l = 50mm
	1351707	Ceramic Nozzle Size 7, Ø11.0, l = 47mm	21	53N88	Ceramic Nozzle Size 10 for Big Gas Lens, Ø16.0, l = 48mm (PU = 10)
	1351708	Ceramic Nozzle Size 8, Ø12.5, l = 47mm		53N87	Ceramic Nozzle Size 12 for Big Gas Lens, Ø19.5, l = 48mm (PU = 10)
14	1350720	Glas-Nozzle, Ø14.0, l = 47mm		53N89	Ceramic Nozzle Size 16 for Big Gas Lens, Ø25.5, l = 48mm (PU = 10)
15	14022121	Insulator (PU = 5)	22	15611110	Nozzle holder Spot Weld cpl.
16	11823XX	Collet Body with Gas Lens, l = 50mm (PU = 5)	22.1	15611111	Adaptar body
Collet Body with Gas Lens available in Ø1.0/1.6/2.4/3.2/4.0mm. Please insert XX for electrode diameter. Example: Ø2,4 mm is: 10; Part-No.: = 11826 24			22.2	15611101	Insulator
17	1210704	Ceramic Nozzle Size 4 for Gas Lens, Ø6.5, l = 42mm (PU = 10)	23	15611011	Outside corner tip
	1210705	Ceramic Nozzle Size 5 for Gas Lens, Ø8.0, l = 42mm (PU = 10)	24	15611021	Inside corner tip
	1210706	Ceramic Nozzle Size 6 for Gas Lens, Ø9.5, l = 42mm (PU = 10)	25	15611031	Flat tip
	1210707	Ceramic Nozzle Size 7 for Gas Lens, Ø11.0, l = 42mm (PU = 10)	26	15611000	Allen key
	1210708	Ceramic Nozzle Size 8 for Gas Lens Ø12.5, l = 42mm (PU = 10)	27	1561120	Gauge
	1210712	Ceramic Nozzle Size 12 for Gas Lens Ø19.0, l = 42mm (PU = 10)	28	1560003	TIG-Spot Weld Conversion kit, consists of: 1x 15611110 Nozzle holder Spot Weld cpl. 1x 15611011 Outside corner tip 1x 15611021 Inside corner tip 1x 15611031 Flat tip 1x 15611000 Allen key 1x 1561120 Gauge



Spare parts e.ARC® 18W-F / 26G-F (Conversion kit)




Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	1170301	Back Cap, long (PU = 5)	8	1200704	Ceramic Nozzle Size 4 Ø6.5, l = 29mm (PU = 10)
2	1170403	Back Cap, medium (PU = 5)		1200705	Ceramic Nozzle Size 5 Ø8.0, l = 29mm (PU = 10)
3	1170401	Back Cap, short (PU = 5)		1200706	Ceramic Nozzle Size 6 Ø9.5, l = 29mm (PU = 10)
4	0092001	O-Ring for Back Cap (PU = 20)		1200707	Ceramic Nozzle Size 7 Ø11.0, l = 29mm (PU = 10)
5	14014 XX	Collet, l = 40mm, e.ARC® (PU = 5)		1200708	Ceramic Nozzle Size 8 Ø12.5, l = 29mm (PU = 10)
Collets are available in Ø1.6/2.4/3.2mm Please insert XX for electrode diameter. Example: Ø1.6mm is: 16; Part-No.: = 14014 16				1200710	Ceramic Nozzle Size 10 Ø16.0, l = 42mm (PU = 10)
6	14022011	Insulator e.ARC® (PU = 5)	9	796F70	Ceramic Nozzle Size 3 Ø5.0, l = 48mm (PU = 10)
7	14016 XX	Collet Body, l = 33mm, e.ARC (PU = 5)		796F71	Ceramic Nozzle Size 4 Ø6.5, l = 48mm (PU = 10)
Collet Body available in Ø1.6/2.4/3.2mm Please insert XX for electrode diameter. Example: Ø2.4mm is: 24; Part-No.: = 14016 24				796F72	Ceramic Nozzle Size 5 Ø8.0, l = 48mm (PU = 10)
				796F73	Ceramic Nozzle Size 6 Ø9.5, l = 48mm (PU = 10)
				796F74	Ceramic Nozzle Size 3 Ø5.0, l = 63mm (PU = 10)
				796F75	Ceramic Nozzle Size 4 Ø6.5, l = 63mm (PU = 10)
				796F76	Ceramic Nozzle Size 5 Ø8.0, l = 63mm (PU = 10)
				796F77	Ceramic Nozzle Size 6 Ø9.5, l = 63mm (PU = 10)



Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
11	14023 XX	Collet Body with Gas Lens, l=35mm, e.ARC® (PU=5)	14	53N58XL	Ceramic Nozzle Size 4 for Gas Lens, Ø6.5, l=72mm (PU=10)
Collet Body with Gas Lens available in Ø1.6/2.4/3.2mm. Please insert XX for electrode diameter. Example: Ø2,4mm is: 10; Part-No.: = 14023 24				53N59XL	Ceramic Nozzle Size 5 for Gas Lens, Ø8.0, l=72mm (PU=10)
				53N61XL	Ceramic Nozzle Size 7 for Gas Lens, Ø11.0, l=72mm (PU=10)
12	1202404	Ceramic Nozzle Size 4 for Gas Lens, Ø6.5, l=25mm (PU=10)	15	99400028	Nozzle cpl. TIG-Lens Cover Ø1.6, l=28mm
	1202405	Ceramic Nozzle Size 5 for Gas Lens, Ø8.0, l=25mm (PU=10)		99400029	Nozzle cpl. TIG-Lens Cover Ø2.4, l=28mm
	1202406	Ceramic Nozzle Size 6 for Gas Lens, Ø9.5, l=25mm (PU=10)		99400030	Nozzle cpl. TIG-Lens Cover Ø3.2, l=28mm
	1202407	Ceramic Nozzle Size 7 for Gas Lens, Ø11.0, l=25mm (PU=10)			
	1202408	Ceramic Nozzle Size 8 for Gas Lens, Ø12.5, l=25mm (PU=10)			
13	53N58L	Ceramic Nozzle Size 4 for Gas Lens, Ø6.5, l=35mm (PU=10)			
	53N59L	Ceramic Nozzle Size 5 for Gas Lens, Ø8.0, l=35mm (PU=10)			
	53N60L	Ceramic Nozzle Size 6 for Gas Lens, Ø9.5, l=35mm (PU=10)			
	53N61L	Ceramic Nozzle Size 7 for Gas Lens, Ø11.0, l=35mm (PU=10)			

Spare parts e.Arc® 9G-F / 9G-F-L / 20W-F / 20W-F-L

Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	1090210	Back Cap, long (PU = 5)	8	12016 XX	Collet Body, l = 20.5mm (PU = 5) Collet Body available in Ø1.0/1.6/2.4/3.2/4.0 mm Please insert XX for wire diameter. Example: Ø2.4 mm is: 24; Part-No.: = 12016 24
2	1090211	Back Cap, medium (PU = 5)	9	1200704	Ceramic Nozzle Size 4, Ø6.5, l = 30mm (PU = 10)
3	1090212	Back Cap, short (PU = 5)		1200705	Ceramic Nozzle Size 5, Ø8.0, l = 30mm (PU = 10)
4	0042000	O-Ring for Back Cap (PU = 20)		1200706	Ceramic Nozzle Size 6, Ø9.5, l = 30mm (PU = 10)
5	14504 XX	Collet Long Life, l = 25mm (PU = 5)		1200707	Ceramic Nozzle Size 7, Ø11.0, l = 30mm (PU = 10)
Collets are available in Ø1.0/1.6/2.4/3.2/4.0mm Please insert XX for electrode diameter. Example: Ø1.0 mm is: 10; Part-No.: = 14504 10				1200708	Ceramic Nozzle Size 8, Ø12.5, l = 30mm (PU = 10)
6	12005 XX	Collet, l = 25mm (PU = 5)		1200710	Ceramic Nozzle Size 10, Ø16.0, l = 30mm (PU = 10)
Collets are available in Ø1.0/1.6/2.4/3.2/4.0mm Please insert XX for electrode diameter. Example: Ø1.0 mm is: 10; Part-No.: = 12005 10			10	796F70	Ceramic Nozzle Size 3, Ø5.0, l = 48mm (PU = 10)
7	1202200	Insulator (PU = 5)		796F71	Ceramic Nozzle Size 4, Ø6.5, l = 48mm (PU = 10)
				796F72	Ceramic Nozzle Size 5, Ø8.0, l = 48mm (PU = 10)
				796F73	Ceramic Nozzle Size 6, Ø9.5, l = 48mm (PU = 10)


Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
11	796F74	Ceramic Nozzle Size 3, Ø5.0, l = 63mm (PU = 10)	16	99400028	TIG-Lens Cover Ø1.6, l = 28mm
	796F75	Ceramic Nozzle Size 4, Ø6.5, l = 63mm (PU = 10)		99400029	TIG-Lens Cover Ø2.4, l = 28mm
	796F76	Ceramic Nozzle Size 5, Ø8.0, l = 63mm (PU = 10)		99400030	TIG-Lens Cover Ø3.2, l = 28mm
	796F77	Ceramic Nozzle Size 6, Ø9.5, l = 63mm (PU = 10)	17	54N63-20	Insulator (PU = 5)
12	12023 XX	Collet Body with Gas Lens, l = 22.5mm (PU = 5)	18	13N21L	Collet Ø1.0, for BIG Gas Lens, l = 40mm (PU = 5)
Collet Body with Gas Lens available in Ø1.0/1.6/2.4/3.2/4.0mm. Please insert XX for electrode diameter. Example: Ø2,4mm is: 10; Part-No.: = 12023 24				13N22L	Collet Ø1.6, for BIG Gas Lens, l = 40mm (PU = 5)
				13N23L	Collet Ø2.4, for BIG Gas Lens, l = 40mm (PU = 5)
				13N24L	Collet Ø3.2, for BIG Gas Lens, l = 40mm (PU = 5)
13	1202404	Ceramic Nozzle Size 4, Ø6.5, l = 25mm (PU = 10)	19	45V0204S	Big Gas Lens Ø1.0mm, l = 40mm
	1202405	Ceramic Nozzle Size 5, Ø8.0, l = 25mm (PU = 10)		45V116S	Big Gas Lens Ø1.6mm, l = 40mm
	1202406	Ceramic Nozzle Size 6, Ø9.5, l = 25mm (PU = 10)		45V64S	Big Gas Lens Ø2.4mm, l = 40mm
	1202407	Ceramic Nozzle Size 7, Ø11.0, l = 25mm (PU = 10)		995795S	Big Gas Lens Ø3.2mm, l = 40mm
	1202408	Ceramic Nozzle Size 8, Ø12.5, l = 25mm (PU = 10)	20	57N75	Ceramic Nozzle Size 6 for Big Gas Lens, Ø9.5, l = 48mm (PU = 10)
14	53N58L	Ceramic Nozzle Size 4, Ø6.5, l = 35mm (PU = 10)		57N74	Ceramic Nozzle Size 8 for Big Gas Lens, Ø12.5, l = 48mm (PU = 10)
	53N59L	Ceramic Nozzle Size 5, Ø8.0, l = 35mm (PU = 10)		53N88	Ceramic Nozzle Size 10 for Big Gas Lens, Ø16.0, l = 48mm (PU = 10)
	53N60L	Ceramic Nozzle Size 6, Ø9.5, l = 35mm (PU = 10)		53N87	Ceramic Nozzle Size 12 for Big Gas Lens, Ø19.5, l = 48mm (PU = 10)
	53N61L	Ceramic Nozzle Size 7, Ø11.0, l = 35mm (PU = 10)		53N89	Ceramic Nozzle Size 15 for Big Gas Lens, Ø25.5, l = 48mm (PU = 10)
15	53N58XL	Ceramic Nozzle Size 4, Ø6.5, l = 72mm (PU = 10)			
	53N59XL	Ceramic Nozzle Size 5, Ø8.0, l = 72mm (PU = 10)			
	53N61XL	Ceramic Nozzle Size 7, Ø11.0, l = 72mm (PU = 10)			

Spare parts e.Arc® XN-91W-F / XN-92G-F

Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
1	1920301	Back Cap, long (PU = 5)	7	1202406	Ceramic Nozzle Size 6, Ø9.5, l = 25mm (PU = 10)
2	1920302	Back Cap, medium (PU = 5)		1202407	Ceramic Nozzle Size 7, Ø11.0, l = 25mm (PU = 10)
3	1920303	Back Cap, short (PU = 5)		1202408	Ceramic Nozzle Size 8, Ø12.5, l = 25mm (PU = 10)
4	0101200	O-Ring for Back Cap (PU = 20)	8	53N58L	Ceramic Nozzle Size 4, Ø6.5, l = 35mm (PU = 10)
5	1920123	Insulator (PU = 5)		53N59L	Ceramic Nozzle Size 5, Ø8.0, l = 35mm (PU = 10)
6	194001233	Collet Ø1.6mm, l = 50mm (PU = 5)		53N60L	Ceramic Nozzle Size 6, Ø9.5, l = 35mm (PU = 10)
	194001243	Collet Ø2.4mm, l = 50mm (PU = 5)		53N61L	Ceramic Nozzle Size 7, Ø11.0, l = 35mm (PU = 10)
	194001253	Collet Ø3.2mm, l = 50mm (PU = 5)	9	53N58XL	Ceramic Nozzle Size 4, Ø6.5, l = 72mm (PU = 10)
	194001263	Collet Ø4.0mm, l = 50mm (PU = 5)		53N59XL	Ceramic Nozzle Size 5, Ø8.0, l = 72mm (PU = 10)
7	1202404	Ceramic Nozzle Size 4, Ø6.5, l = 25mm (PU = 10)		53N61XL	Ceramic Nozzle Size 7, Ø11.0, l = 72mm (PU = 10)
	1202405	Ceramic Nozzle Size 5, Ø8.0, l = 25mm (PU = 10)	10	99400028	TIG-Lens Cover Ø1.6, l = 28mm
				99400029	TIG-Lens Cover Ø2.4, l = 28mm
				99400030	TIG-Lens Cover Ø3.2, l = 28mm

Overview torch bodies e.ARC®

e.ARC® 18W-F




e.ARC® 26G-F




Spare parts

Pos.	Part No.	Description	L [mm]	Pos.	Part No.	Description	L [mm]
1	1181T100	Torch body e.ARC® 18W-F	55	2	1261T100	Torch body e.ARC® 26G-F	55

e.ARC® 9G-F



e.ARC® 20W-F



Spare parts

Pos.	Part No.	Description	L [mm]	Pos.	Part No.	Description	L [mm]
3	1091T100	Torch body e.ARC® 9G-F	55	4	1201T100	Torch body e.ARC® 20W-F	55

e.ARC® 9G-F-L




e.ARC® 20W-F-L



Spare parts

Pos.	Part No.	Description	L [mm]	Pos.	Part No.	Description	L [mm]
5	1092T100	Torch body e.ARC® 9G-F-L	115	6	1202T100	Torch body e.ARC® 20W-F-L	115

e.ARC® XN-91W-F




e.ARC® XN-92G-F



Spare parts

Pos.	Part No.	Description	L [mm]	Pos.	Part No.	Description	L [mm]
7	1911T100	Torch body e.ARC® XN-91W-F	55	8	1921T100	Torch body e.ARC® XN-92G-F	55

Overview handle e.ARC®




Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	117280101	Handle e.ARC® blue	10	002205K	Screw Torx (PU = 20)
2	117280102	Handle e.ARC® gray	11	117280231	Extended Trigger for single switch, black
3	117280111	Clamp for handle e.ARC®	12	117280230	Trigger for single switch, black
4	117280110	Flexible kink protection e.ARC®	13	117280201	Cover for single/double switch, black
5	117280115	Short kink protection e.ARC®	14	117280301	Single Switch PCB
6	117280112	Clamping ring for cover hose e.ARC®	15	117280302	Double Switch PCB
7	117280113	Nut for kink protection e.ARC®	16	117280100SET05	Cover for single lever cpl., black
8	003512K	Screw Torx (PU = 20)	17	117280100SET06	Cover for Up/Down cpl., black
9	117280114	Strain relief e.ARC®	18	117280303	Up/Down PCB

Cable hose package e.Arc® 9G-F / 9G-F-L

Standard cable hose package



Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
1	091TXX002	Cable hose package standard X m cpl.	3	091T41XX1	Power gas cable X m cpl.
2	92572124	Rubber outer cover 21x1.5 (PU=60m)	4	0510614-XX6	Control cable 6 pol., one side with flat connector, l= X.6m

Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)

Please insert at XX the length.

Example: Pos.1 Cable hose package standard 8m cpl. is: 08; Part-No.: = 091T08002

Flex cable hose package with leather



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	091TXX002L	Flex cable hose package with leather (1m), X m cpl.	3	091T41XX1F	Power gas cable flex X m cpl.
2	92572124	Rubber outer cover 21x1.5 (PU=60m)	4	0510614-XX6	Control cable 6 pol., one side with flat connector, l= X.6m
2.1	1172651	Leather/rubber connector			
2.2	ARLS-23100	Leather l= 1m			


Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)

Please insert at XX the length.

Example: Pos.1 Flex cable hose package with leather 8m cpl. is: 08; Part-No.: = 091T08002L

Cable hose package e.Arc® 26G-F / XN-92G-F

Standard cable hose package




Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	261TXX002	Cable hose package standard X m cpl.	3	261T41XX1	Power gas cable X m cpl.
2	92572124	Rubber outer cover 21x1.5 (PU = 60m)	4	0510614-XX6	Control cable 6 pol., one side with flat connector, l = X.6m

Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)
Please insert at **XX** the length.
Example: Pos.1 Cable hose package standard 8m cpl. is: 08; Part-No.: = 261T**08**002

Flex cable hose package with leather




Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	261TXX002L	Flex cable hose package with leather (1m), X m cpl.	3	261T41XX1F	Power gas cable flex X m cpl.
2	92572124	Rubber outer cover 21x1.5 (PU = 60m)	4	0510614-XX6	Control cable 6 pol., one side with flat connector, l = X.6m
2.1	1172651	Leather/rubber connector			
2.2	ARLS-23100	Leather l = 1m			

Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)
Please insert at **XX** the length.
Example: Pos.1 Flex cable hose package with leather 8m cpl. is: 08; Part-No.: = 261T**08**002L

Machine-side e.ARC® 9G-F / 9G-F-L / 26G-F / XN-92G-F connection


Single connection M12x1 / G1/4" / G3/8"



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	0331025	Kink protection	3	0331017	Adaptor M12x1 AG – G3/8" IG
2	0331016	Adaptor M12x1 AG – G1/4" IG			


BSB 10/25 (Ø9mm) with gas 1/4" - BSB 35/50 (Ø13mm) with gas 1/4"



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	0331025	Kink protection	8	45573158	Gas hose 5x2 black (PU = 100m)
5	3595110S1	BSB plug SK35/50 (Ø13mm)	9	0313001	Union nut G1/4"
6	3595010	BSB plug SK10/25 (Ø9mm)	10	0311004	Connector G1/4"
7	03211001	Single ear clamp D = 10.0 (PU = 100)	11	ARTR-0501	Plug-in nipple NW2.7 (PU = 10)


TIG compact connection Fronius® gas central



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
12	300022731	Spring for housing	15	30002264	Housing for compact connection TIG
13	30002273	Housing for compact connection TIG	15.1	0072000	O-ring 7x2mm (PU = 20)
14	300022735	Screw Torx (PU = 20)			


TIG compact connection EWM® SK35/50 (Ø13mm) with gas: G1/4"/ plug-in nipple NW2.7



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
7	03211001	Single ear clamp D = 10,0 (PU = 100)	12	300022731	Spring for housing
8	45573158	Gas hose 5x2 black (PU = 100m)	13	30002273	Housing for compact connection TIG
9	0313001	Union nut G1/4"	14	300022735	Screw Torx (PU = 20)
10	0311004	Connector G1/4"	16	300022725	Compact connector TIG SK35/50
11	ARTR-0501	Plug-in nipple NW2.7 (PU = 10)			

Euro-GZ0 / Euro-WTG-5



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
17	2411201	Kink protection	22	0040601	Screw M4x6 (PU = 20)
18	2411609	Nut for gun plug housing	23	2151700	Plug nut
19	2411600S1	Gun plug housing, without Nut	24	21515031	Central connector GZ0
20	6051602	Cap for gun plug housing	25	3000211	Central connector WTG-5
21	6051603	Cap with hole for gun plug housing			

Kemppi®-Anschluss Gas: 1/4"




Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
2	0331016	Adaptor M12x1 AG - G1/4" IG	27	994100147	Kink protection Kemppi®
14	300022735	Screw Torx (PU = 20)	28	10103151	Insulating housing
26	0550151-02	PVC-spiral cable wrap l=0.2m			

Cable hose package e.Arc® 20W-F / 20W-F-L

Standard cable hose package



Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
1	201TXX002	Cable hose package X m cpl.	4	0510614-XX6	Control cable 6 pol., one side with flat connector, l= X.6m
2	92572124	Rubber outer cover 21x1.5 (PU=60m)	5	0550121	PVC-hose (PU=200m)
3	201T41XX1	Power cable X m cpl.	6	03210801	Single ear clamp D=8.0 (PU=100)

Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)

Please insert at XX the length.

Example: Pos.1 Cable hose package standard 8m cpl. is: 08; Part-No.: = 201T08002

Cable hose package with leather



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
1	201TXX002L	Cable hose package with leather (1m), X m cpl.	3	201T41XX1	Power cable X m cpl.
2	92572124	Rubber outer cover 21x1.5 (PU=60m)	4	0510614-X6	Control cable 6 pol., one side with flat connector, l= X.6m
2.1	1172651	Leather/rubber connector	5	0550121	PVC-hose (PU=200m)
2.2	ARLS-23100	Leather l= 1m	6	03210801	Single ear clamp D=8.0 (PU=100)


Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)

Please insert at XX the length.

Example: Pos.1 Cable hose package with leather 8m cpl. is: 08; Part-No.: = 201T08002L

Cable hose package e.Arc® 18W-F / XN-91W-F

Standard cable hose package



Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
1	181T XX 002	Cable hose package XX m cpl.	4	0510614- XX 6	Control cable 6 pol., one side with flat connector, l= XX .6m
2	92572124	Rubber outer cover 21x1.5 (PU=60m)	5	0550121	PVC-hose (PU=200m)
3	181T41 XX 1	Power cable XX m cpl.	6	03210801	Single ear clamp D=8.0 (PU=100)

Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)

Please insert at **XX** the length.

Example: Pos.1 Cable hose package standard 8m cpl. is: 08; Part-No.: = 181T**08**002

Cable hose package with leather



Spare parts


Pos.	Part No.	Description	Pos.	Part No.	Description
1	181T XX 002L	Cable hose package with leather (1m), XX m cpl.	3	181T41 XX 1	Power cable XX m cpl.
2	92572124	Rubber outer cover 21x1.5 (PU=60m)	4	0510614- XX 6	Control cable 6 pol., one side with flat connector, l= XX .6m
2.1	1172651	Leather/rubber connector	5	0550121	PVC-hose (PU=200m)
2.2	ARLS-23100	Leather l= 1m	6	03210801	Single ear clamp D=8.0 (PU=100)

Pos. 1/3/4 are available in 4m (04) / 8m (08) / 12m (12) / 16m (16)

Please insert at **XX** the length.

Example: Pos.1 Cable hose package with leather 8m cpl. is: 08; Part-No.: = 181T**08**002L


TIG compact connection Fronius® gas central; water: plug-in nipple NW5



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
6	03210871	Single ear clamp D = 8.7 (PU = 100)	18	30002273	Housing for compact connection TIG
11	2990800	Water plug-in nipple NW5 (PU = 10)	19	300022735	Screw Torx (PU = 20)
13	45050339	Water stop blue (PU = 10)	20	0550121	Hose 4x1.3mm black (PU = 100m)
16	45050340	Water stop red (PU = 10)	21	300022714	Compact connector TIG gas central
17	300022731	Spring for housing	21.1	0072000	O-Ring 7x2mm (PU = 20)


TIG compact connection EWM® SK35/50 with gas: G1/4" / plug-in nipple NW2.7; water: plug-in nipple NW5



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
4	0311004	Connector G1/4"	16	45050340	Water stop red (PU = 10)
5	0313001	Union nut G1/4"	17	300022731	Spring for housing
6	03210871	Single ear clamp D = 8.7 (PU = 100)	18	30002273	Housing for compact connection TIG
9	03210801	Single ear clamp D = 8.0 (PU = 100)	19	300022735	Screw Torx (PU = 20)
10	ARTR-0401	Plug-in nipple NW2.7 (PU = 10)	20	0550121	Hose 4x1.3mm black (PU = 100m)
11	2990800	Water plug-in nipple NW5 (PU = 10)	22	300022725	Compact connector TIG SK35/50
13	45050339	Water stop blue (PU = 10)			


Euro-WZ0 / Euro-WTW-5; water: plug-in nipple NW5



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
6	03210871	Single ear clamp D=8.7 (PU = 100)	25	6051610	Rubber kink protection 3-T (PU = 2)
11	2990800	Water plug-in nipple NW5 (PU = 10)	26	2411600S1	Gun plug housing
13	45050339	Water stop blue (PU = 10)	27	0040601	Screw M4x6 (PU = 20)
16	45050340	Water stop red (PU = 10)	28	2151700	Plug nut
20	0550121	Hose 4x1.3mm black (PU = 100m)	29	3000306S	Central connector WZ0
23	2411201	Kink protection	30	3000212S	Central connector WTW-5
24	2411609	Nut for gun plug housing			






Kempfi® connection G1/4"; water: plug-in nipple NW5



Spare parts

Pos.	Part No.	Description	Pos.	Part No.	Description
6	03210871	Single ear clamp D=8,7 (PU = 100)	24	2411609	Nut for gun plug housing
11	2990800	Water plug-in nipple NW5 (PU = 10)	25	6051610	Rubber kink protection 3-T (PU = 2)
13	45050339	Water stop blue (PU = 10)	27	0040601	Screw M4x6 (PU = 20)
16	45050340	Water stop red (PU = 10)	31	24116001	Gun plug housing for Kempfi®
19	300022735	Screw Torx (PU = 20)	32	9940000581	Kempfi® connector G1/4"
20	0550121	Hose 4x1.3mm black (PU = 100m)	33	10103151	Insulating housing
23	2411201	Kink protection			

Control cable plugs

EWM®	Kempfi®	Rehm®
Tuchel plug 5-pol.  Part No.: T3012002	Amphenol plug 7-pol.  Part No.: P-0001-Set	Amphenol C16-1 plug 7-pol.  Part No.: T3104001
Burndy plug 8-pol.  Part No.: P-0003-Set		Amphenol plug 12-pol.  Part No.: P-0002-Set
EWM®	Fronius®	TIP TIG®
Burndy plug 12-pol.  Part No.: P-0004-Set	Tuchel plug 9-pol.  Part No.: ART902	Tuchel plug 7-pol.  Part No.: 0002607

Tungsten electrodes



Markings	Part.No.	Ø [mm]	Length [mm]	Recommendation	
Green „WP“	08602110	1,0	175		
	08602170	1,6		Current type:	Alternating current
	08602240	2,4		Ignitability:	-
	08602320	3,2		Lifetime:	+
	08602400	4,0		Arc stability:	+
	08602480	4,8		Type of material:	Aluminium, aluminium alloys
Gray „WC 20“	0458000S1	1,0	175		
	0458000	1,6		Current type:	Direct current minus pole, Alternating current
	0458001	2,4		Ignitability:	+ +
	0458002	3,2		Lifetime:	+
	0458003	4,0		Arc stability:	+
	0458004	4,8		Type of material:	For all applications
Black „WL 10“	0464001	1,0	175		
	0464002	1,6		Current type:	Direct current minus pole
	0464004	2,4		Ignitability:	+
	0464006	3,2		Lifetime:	+
	0464007	4,0		Arc stability:	+
	0464008	4,8		Type of material:	High-alloyed steels
Gold „WL 15“	0446902	1,0	175		
	0446903	1,6		Current type:	Direct current minus pole
	0446904	2,4		Ignitability:	+ +
	0446905	3,2		Lifetime:	+ +
	0446906	4,0		Arc stability:	+
	0446907	4,8		Type of material:	High-alloyed steels
Blue „WL 20“	0461001	1,0	175		
	0461002	1,6		Current type:	Direct current minus pole
	0461003	2,4		Ignitability:	+ + +
	0461004	3,2		Lifetime:	+ + +
	0461005	4,0		Arc stability:	+ +
	0461007	4,8		Type of material:	High-alloyed steels
White „WZ8“	0445928	1,0	175		
	0445929	1,6		Current type:	Alternating current
	0445930	2,4		Ignitability:	+
	0445931	3,2		Lifetime:	+ +
	0445932	4,0		Arc stability:	+ +
	0445933	4,8		Type of material:	Aluminium, aluminium alloys
Turquoise „WS2“	0459000S	1,0	175		
	0459000	1,6		Current type:	Direct current minus pole, Alternating current
	0459002	2,4		Ignitability:	+ + +
	0459003	3,2		Lifetime:	+ + +
	0459004	4,0		Arc stability:	+ +
	0459005	4,8		Type of material:	For all applications



Impressum:

Autogen-Ritter GmbH
Otto-Lilienthal-Ring 5
85622 Feldkirchen-München
Phone: +49(0) / 427230-0
info@autogenritter.com
www.autogenritter.com

Autogen-Ritter GmbH® reserves the right to make changes to this catalogue at any time without prior notice. Autogen-Ritter GmbH® cannot be held responsible for any inaccuracies or inappropriate information in this catalogue that may be necessary due to improvements to this product. However, these changes will be taken into account in the new edition. The manufacturers are named solely for the purpose of easier identification. The products listed are compatible with the manufacturers specified, but may not be original parts from the manufacturer. All trademark rights belong to the respective owner; there is no connection to Autogen-Ritter GmbH®.

Copyright notice

All parts of the catalogue are protected by copyright. All rights reserved. Any reproduction or distribution in whole or in part is prohibited. No part of the documentation may be copied, transmitted, reproduced, stored in other electronic media or reproduced in a mechanically readable form. In any case, the express prior written consent of the manufacturer is required for this. The creation and revision of the catalogue is the sole responsibility of Autogen-Ritter GmbH®.



Autogen-Ritter GmbH® – Welding technology with tradition, innovation and customisation.

For over 100 years, Autogen-Ritter GmbH® has stood for quality, innovation and technical precision in the field of welding technology. With our own development and design capabilities, we create customised solutions that are precisely tailored to our customers' requirements, from one-off production to series production.

Our portfolio includes high-performance TIG, plasma welding and GMAW welding torches for manual and automated applications. Our products are used worldwide in a wide range of industries, including crane and pipeline construction, the automotive industry, pipeline construction and additive manufacturing.

With technical expertise, a high degree of vertical integration and close customer relationships, Autogen-Ritter® is your strong partner for sophisticated welding technology.

In addition to information about the products on our website, we also offer catalogues for the respective areas:

TIG cladding torches



Hot/cold wire TIG manual welding torches



GMAW fume extraction torches





AUTOGEN-RITTER GmbH

Arc-welding torches MIG-MAG WIG/TIG Plasma Spare parts

Quality Welding Solutions since 1920.



Autogen-Ritter GmbH
Otto-Lilienthal-Ring 5
85622 Feldkirchen-München
Phone: +49 (0) 89 427230-0
info@autogenritter.com
www.autogenritter.com